

FIG. 1A



- 124
- Rating Scale:**
- 120
- 122
0. This is a positive rating of absence. It does not mean 'not known' or 'uncertain whether present or not'. It can only be used if sufficient information is available to establish its accuracy.
  1. This is a positive rating of presence, but presence of such a minor degree that it is not appropriate for use in classification. Like (0), it does not mean 'not known' or 'uncertain'. Ratings of (1) count in scores, which in turn influence the level allocated on the Index of Definition.
  2. This rating means that the item is present at a level sufficient to use in classification. For this purpose it is equivalent to 3, but it contributes less to scores. In general, it is used when symptoms are of moderate severity during most of the period being assessed.
  3. A rating of (3) is similar to (2) except that the symptom is present in severe form for most of the period under review.
  5. The presence of psychotic symptoms can make the rating of Part One items very difficult, because of problems in interpreting the meaning of what R says, or because the symptoms (for example, anxiety or a phobia about leaving one's house) may themselves be based in psychotic experiences. The rating should only be made when there is genuine doubt about the nature of the symptom or the balance is in favor of the symptom being psychotic.
  8. If, after an adequate examination, the interviewer is still not sure whether a symptom is present (rated 1-3) or absent (rated 0), the rating is (8). This is the only circumstance in which (8) is used. It should not be used to indicate a mild form of the symptom.
  9. This rating is only used if the information needed to rate an item is incomplete in some respect, for example because of language or cognitive disorder, or lack of cooperation, or because the interviewer forgot to probe sufficiently deeply. It is distinguished from (8) because the examination was not, for whatever reason, carried out adequately.

FIG. 1B




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5

[illegible]



0 3 | 4 | 6 |

Number

Item

3.002

Feeling of nervous tension

3.007

Fatigueability and exhaustion

3.009

Irritability

3.011

Superciousness

Paused

2:17

First

5 tracks

Previous

Next

5 tracks

Last

23:29:18

00:00:00 / 00:00:03

23:29:21

Section

Worrying, tension, etc.

Item

3.007

Fatigueability and exhaustion

Item Information

Section Information

DSM-IV Diagnostic status

ICD-10 Diagnostic

Have you been getting exhausted and worn out during the day, even when you haven't been working very hard?

Exclude hypersomnia 3.015

Unusually tired = mild. Feels worn out, effort to carry on = moderate. Completely exhausted = severe.

Item Glossary

A symptom often accompanying, and in part due to, symptoms such as 'Muscular tension' (3.003), 'Restlessness' (2.005), and 'Worrying' (3.001). It should be rated independently. Three common criteria for a non-specific symptom should be met: subjects experience the fatigue as unpleasant, they are unable voluntarily to overcome it and it is inappropriate to the situation they find themselves in. Thus tiredness and sleepiness at the end of a hard day's work, or due to the after-effect of influenza, would not count. The tiredness is essentially a sense of mental and physical fatigue; worn out, lethargic, heavy - not merely sleepy. It can, however, accompany chronic loss of sleep. The most intense form of the symptom is exhaustion.

Differentiation from other symptoms:

Although it is possible to fall asleep as the result of being immobilized by physical fatigue, the symptom should be distinguished from sleepiness, and still more from hypersomnia (see item 3.015).

Excessive fatigue following exercise is rated at items 2.032, 2.035 and 2.032. If tiredness is due to a physical cause, including medication or a viral infection, rate etiologic attribution.

Section

Previous

Next

Item

Previous

Next

History

Back

Forward

Item Number

Item Text

Go

Search

Audio Segments:

Please double-click on the Description, or highlight a Description and click the "Enter" key.

Score	Rating Description
0	This is a positive rating of absence. It does not mean 'not known' or 'uncertain whether present or not'. It can only be used if sufficient information is available to establish its accuracy.
1	This is a positive rating of presence, but presence of such a minor degree that it is not appropriate for use in classification. Like (0), it does not mean 'not known' or 'uncertain'. Ratings of (1) count in scores (but not for diagnostic purposes), which in turn influence the level allocated on the Index of Definition.
2	This rating means that the item is present at a level sufficient to use in classification. For this purpose it is equivalent to 3, but it contributes less to scores. In general, it is used when symptoms are of moderate severity during most of the period being assessed.
3	A rating of (3) is made to (2) except that the symptom is present in severe form for most of the period under review.
5	The presence of psychotic symptoms can make the rating of Part One items very difficult, because of problems in interpreting the meaning of what R says, or because the symptoms (for example, anxiety or a phobia) about leaving one's house) may themselves be based on psychotic experiences. The rating should only be made when there is genuine doubt about the nature of the symptom or the balance in favor of the symptom being psychotic.
8	If, after an adequate examination, the interviewer is still not sure whether a symptom is present (rated 1-3) or absent (rated 0), the rating is (8). This is the only circumstance in which (8) is used. It should not be used to indicate a malfunction of the symptom.
9	This rating is only used if the information needed to rate an item is incomplete in some respect, for example because of language or cognitive disorder, or lack of cooperation, or because the interviewee forgot to probe sufficiently deeply. It is distinguished from (8) because the examination was not, for whatever reason, carried out adequately.

Project: Default Project

Interviewer: supervisor

Subject: Subject Default

10:23 AM

632

640

638

650

FIG. 6B